

SINONIMIAS Y SUBNÓMINES DEL ORDEN HIMENÓPTEROS

Agaonidae

- *Eupristina verticillata* (Waterston, 1921) = *Parapristina verticillata* (Waterston, 1921); *Parapristina verticillata* (Waterston, 1921).
- *Phylotrypesis caricae* (Linnaeus, 1758) = *Phylotrypesis ficuscaricae* Latreille.

Andrenidae

- *Andmna aegyptiaca cannabina* Wamcke, 1968 = *Adrena aegyptiaca cannabina* Wamcke, 1968.
- *Andmna chalcogastra chalcogastra* Brullé, 1839 = *Andrena chalcogastra* Brullé, 1839.
- *Andmna manana mariana* Wamcke, 1968 = *Andrena mariana* Wamcke, 1968.
- *Andmna mediovitata arvensis* Wamcke, 1968 = *Adrena arvensis* Wamcke, 1968; *Andrena arvensis* Wamcke, 1968.
- *Andmna pandosa graciosa* Wamcke, 1993 = *Andrena pandosa pandosa* Wamcke..
- *Andmna rutila xanthoscelis* Brullé, 1839 = *Andrena xanthoscelis* Brullé, 1839; *Andrena fuscata* Erichson, 1835; *Andrena fuscata rutila* Spinola, 1838.
- *Andmna savignyi* Spinola, 1838 = *Andrena bipartita* Brullé.
- *Andmna sprete* Pérez, 1895 = *Andrena sprete pauxilla* (Stöckert, 1935).
- *Andmna vulcana ferina* Wamcke, 1968 = *Andrena mactae* Lepelletier.
- *Andmna vulcana nyroca* Wamcke, 1968 = *Andrena mactae* Lepelletier.
- *Andmna vulcana zumboa* Wamcke, 1968 = *Andrena mactae* Lepelletier.
- *Andmna wollastoni acuta* Wamcke, 1968 = *Andrena minutula* Kirby.
- *Andmna wollastoni aomemnsis* Wamcke, 1993 = *Andrena wollastoni acuta* Wamcke, 1968.
- *Panurgus brullei brullei* (Lepelletier, 1841) = *Panurginus albopilosus* Lucas; *Scrapter brullei* Lepelletier, 1841; *Panurginus brullei* Lepelletier, 1841; *Panurgus brullei* Lepelletier, 1841.
- *Panurgus dentipes canarius* Wamcke, 1972 = *Panurgus dentatus* Friese.

Anthophoriidae

- *Amegilla canifrons* (Smith, 1853) = *Anthophora atlantica* Altken, 1931; *Anthophora canifrons* Smith, 1853; *Anthophora nidulans* Fabricius.
- *Amegilla quadrifasciata* (Villers, 1790) = *Anthophora quadrifasciata* Villers, 1790.
- *Anthophora alluaudi alluaudi* Pérez, 1895 = *Anthophora alluaudi* Pérez, 1895; *Anthophora atro-alba* Lepelletier; *Anthophora nigrociliata* Pérez; *Podalirius canariensis* Saunders, 1903; *Podalirius alluaudi* Pérez, 1895.

- *Anthophora alluaudi fuerteventurae* Lieftinck, **1958** = *Anthophora alluaudi* Pérez, **1895**.
 - *Anthophora alluaudi hierroensis* (Tkalcu, **1993**) = *Anthophora alluaudi* Pérez, **1895**.
 - *Anthophora orotavae* (Saunders, **1904**) = *Anthophora pubescens* Fabricius; *Podalirius orotavae* Saunders, **1904**.
 - *Eucera gracilipes* Pérez, **1895** = *Eucera algira* Lepeletier, **1839**; *Eucera punica* Grib.
 - *Heliophila lanzarotensis* Tkalcu, **1993** = *Heliophila* aff. *bimaculata* (Panzer).
 - *Heliophila pulverosa* (Smith, **1853**) = *Anthophora pulverosa* Smith, **1853**.
 - *Melecta aegyptiaca* Radoszkowski, **1876** = *Melecta lindbergi* Lieft.
 - *Melecta caroli* Lieftinck, **1958** = *Melecta nigra* Brullé.
 - *Melecta curvispina* Lieftinck, **1958** = *Melecta punctata* Fabricius; *Osmia luctuosa* Scopoli; *Melecta curvispinna* Lieftinck, **1958**.
 - *Nomada bifasciata* Olivier, **1811** = *Nomada pusilla* Lepeletier; *Nomada flava* Fabricius.
 - *Nomada glaucopsis* Pérez, **1890** = *Nomada* aff. *furva* Panzer.
 - *Tetralonia lanuginosa cananensis* Dusmet, **1924** = *Tetralonia ruficollis* canariensis Dusmet, **1924**; *Tetralonia grandis rufa* (Lepeletier); *Macrocera grandis* Fonscolombae; *Macrocera altemans* Brullé.
 - *Thyreus histrionicus* (Illiger, **1806**) = *Crocisa major* Mof.
 - *Thyreus ramosus* (Lepeletier, **1841**) = *Crocisa famosa* Lepeletier, **1841**.
- Aphelinidae
- *Aphytis albidus* (Westwood, **1837**) = *Aphytis mytilaspidis* (Le Baron, **1870**).
 - *Encarsia formosa* Graham, **1924** = *Trichaporus formosus* (Graham, **1924**).
 - *Encarsia inaron* (Walker, **1839**) = *Encarsia parthenopea*.
- Apidae
- *Apis mellifera* Linnaeus, **1758** = *Apis mellifera canariensis* Pérez, **1895**.
 - *Bombus canariensis* Pérez, **1895** = *Bombix terrestris canariensis* Pérez, **1895**; *Bombus schmidti* Pittioni, **1939**; *Bombus soroensis* Fabricius; *Bombus terrestris canariensis* Pérez, **1895**; *Bombix terrestris* Linneo.
- Braconidae
- *Aphidius ervi* Haliday, **1834** = *Aphidius ervi* ervi Haliday, **1834**.
 - *Aphidius matricariae* Haliday, **1834** = *Aphidius matricariae* Haliday, **1834**.
 - *Aphidius picipes* (Nees von Esenbeck, **1811**) = *Aphidius avenae* Hal.
 - *Bassus canariensis* (Szépligeti, **1908**) = *Camptothlipsis canariensis* (Szépligeti, **1908**); *Baeognatha cananensis* (Szépligeti, **1908**).
 - *Cheionusinanita* (Linnaeus, **1767**) = *Chelonus inanitus* (Linnaeus, **1767**)
 - *Ephedrus persicae* Froggatt, **1904** = *Ephedrus nitidus* Gahan.

- **Habrobracon hebetor** (Say, 1836) = *Bracon brevicomis* (Wesmael).
- **Habrobracon urinator** (Fabncius, 1758) = *Rostrobracon unnator* (Fabncius, 1758).
- **Lysiphlebus confusus** Tremblay & Eady, 1978 = *Lysiphlebus ambiguus* (Haliday).
- **Trioxys angelicae** (Haliday, 1833) = *Trioxys angelicae granatensis* Quilis, 1931; *Binodoxys angelicae granatensis* (Quilis, 1931).
- **Trioxys brevicornis** (Haliday, 1833) = *Binodoxys brevicomis* (Haliday, 1833).

Chalcididae

- **Brachymeria intermedia** (Nees von Esenbeck, 1834) = *Chalcis intermedia* Nees von Esenbeck, 1834.
- **Hockeria bifasciata** Walker, 1834 = *Hockeria bifasciata f. erdoesi* (Boucek, 1951).
- **Proconura nigripes** (Fonscolombe, 1832) = *Procnura nignpes* (Foscolombe, 1832).

Charipidae

- **Alloxysfa afer** (Kieffer, 1904) = *Chanps afer* Kieffer, 1904.
- **Alloxysfa cabrerai** (Kieffer, 1904) = *Chanps cabrerai* Kieffer, 1904.

Chrysididae

- **Chwsis adipata** Linsenmaier, 1997 = *Chysis adipata* Linsenmaier, 1997.
- **Chwsis chrysoviolacea** Linsenmaier, 1968 = *Hedicydium chrysoviolacea* Linsenmaier, 1968.
- **Chrvsis comitata** Linsenmaier, 1968 = *Hedicydium comitata* Linsenmaier, 1968.
- **Chrvsis leachii** Shuckard, 1836 = *Chysis laechii* Shuckard, 1836.
- **Chrvsis magnidens** Perez, 1895 = *Chysis ignita magnidens* Pérez, 1895; *Chysis magnidens pseudignita* Linsenmaier, 1987; *Chysis magnidens magnidens* Perez, 1895; *Chysis ignita*.
- **Chrvsis rubrocoerulea** Linsenmaier, 1968 = *Hedicydium rubrocoerulea* Linsenmaier, 1968.
- **Hedychridium canariense** Mercet, 1915 = *Hedychndium canariensis* Mercet, 1915.

Colletidae

- **Collefes dimidiatus cananensis** Wamcke, 1978 = *Colletes dimidiatus* Brullé, 1839.
- **Collefes dimidiafus dimidiatus** Brullé, 1839 = *Colletes dimidiatus* Brullé, 1839; *Colletes dimidiata* Brullé, 1838.
- **Collefesdimidiatus oomerensis** Wamcke, 1978 = *Colletes dimidiatus* Brullé, 1839.
- **Collefes moricej** Saunders, 1904 = *Colletes coriandri moricej* Saunders, 1904.
- **Hvlaeus afer** (Saunders, 1903) = *Prosopis ater* Saunders, 1903; *Prosopis pictipes*.
- **Hvlaeus canariensis** Erlandsson, 1983 = *Prosopis pictipes atra* Saunders, 1903.
- **Hvlaeus hohmanni** Dathe, 1993 = *Prosopis atra* Saunders, 1903; *Prosopis pictipes atra* Saunders, 1903.

Dryinidae

- *Dryinus canariensis* Ceballos, 1927 = *Paradryinus cananensis* Ceballos, 1927.

Embolemidae

- *Embolemus ruddii* Westwood, 1833 = *Embolemus ruddii* Westwood, 1833.

Encyrtidae

- *Anaavns matritensis* (Mercet, 1921) = *Giranus matritensis* Mercet, 1921.
- *Arhopoideus peregrina* (Compere, 1939) = *Arhopoideus peregrinus* (Compere, 1939).
- *Dicamosis superbus* Mercet, 1921 = *Dicamosis superba* Mercet, 1921.
- *Ectroma insigne* (Mercet, 1921) = *Pezobius insignis* Mercet, 1921.
- *Encyrtus dubius* (Mercet, 1921) = *Eucomys dubius* Mercet, 1921.
- *Encyrtus infelix* (Embleton, 1902) = *Eucomys infelix* Embleton, 1902.
- *Encyrtus infidus* (Rossi, 1790) = *Eucomys scutellata* (Swed.).
- *Epitetracnemus intersectus* (Fonscolombe, 1832) = *Epitetracnemus zetterstedti* (Westwood, 1837).
- *Habrolepis rouxi* Compere, 1936 = *Habrolepis zetterstedti* (Westwood).
- *Homalotyloidea dahlbomii* (Westwood, 1837) = *Homalotyloidea laticopus* (Masi).
- *Leptomastix falva* Mercet, 1921 = *Leptomastix flavus* Mercet, 1921; *Leptomastix flava* Mercet, 1921.
- *Mahencyrtus comara* (Walker, 1837) = *Parechthrodryinus comara* (Walker, 1837).
- *Metaphycus flavus* (Howard, 1881) = *Aphycus flavus* Howard, 1881.
- *Metaphycus hispanicus* (Mercet, 1921) = *Aenasioidea hispanica* Mercet, 1921.
- *Microterys duplicatus* (Nees, 1834) = *Encyrtus duplicatus* Nees, 1834.
- *Microterys nietneri* (Mostchulsky, 1859) = *Encyrtus frontatus* Mercet.
- *Monodiscodes intermedius* (Mayr, 1876) = *Phaenodiscus intermedius* Mayr, 1876; *Monodiscus intermedius* (Mayr, 1876).
- *Syrphophagus aeruginosus* (Dalman, 1820) = *Microterys aeruginosus* Dalman, 1820.
- *Syrphophagus aphidivorus* (Mayr, 1876) = *Aphidencyrtus aphidivorus* (Mayr, 1876).

Eulophidae

- *Achrysocharoides parva* (Delucchi, 1956) = *Achrysocharoides parva* (Delucchi, 1956).
- *Aprostocetus microcosmus* (Girault, 1917) = *Aprostocetus asperilus* (Graham, 1981); *Aprostocetus asperulum* (Graham, 1981).
- *Chwsocharis pallipes* (Nees, 1834) = *Chrysocharis pallipes* (Nees, 1834).
- *Elachertus olivaceus* (Thomson, 1878) = *Hyssopus olivaceus* (Thomson, 1878).
- *Elachertus tumidiscapus* Askew, 1982 = *Hyssopus tumidiscapus* (Askew, 1982).
- *Hemiptarsenus omatus* (Nees, 1834) = *Hemiptarsenus dropion* (Walker, 1839).
- *Neochrysocharis formosa* (Westwood, 1833) = *Chrysonotomyia formosa* (Westwood, 1833).

- *Pediobius metallicus* (Nees von Esenbeck, 1834) = *Pediobius acantha* (Walker, 1839).
- *Pnigalio hirtulus* (Erdos, 1954) = *Pnigalia hirtulus* (Erdös, 1954).
- *Pnigalio longulus* (Zetterstedt, 1839) = *Euiophus longuius* (Zetterstedt, 1839).
- *Pnigalio pectinicornis* (Linnaeus, 1758) = *Eulophus pectinicornis* (Linnaeus, 1758).
- *Eulophus pectinicornis* (Linnaeus, 1758) = *Quadrastichodella nova* Giralt, 1922.

Eumenidae

- *Alastorynerus rubescens* Gusenleitner, 1973 = *Alastorynerus wolffi* Giordani Soika, 1974; *Alastorynerus ludendorffi rubescens* Gusenleitner, 1973.
- *Ancistrocerus fortunafus* Biüthgen, 1954 = *Odynerus rubropinctus* Saussure.
- *Ancistrocerus haematodes antelucanus* Giordani-Soika, 1974 = *Ancistrocerus haematodes* (Brullé, 1840).
- *Ancistrocerus haematodes haematodes* (Brullé, 1839) = *Ancistrocerus haematodes* (Brullé, 1839); *Odynerus haematodes* Brullé, 1839.
- *Ancistocems haematodes rubropictus* (Saussure, 1852) = *Ancistocerus haematodes* var. *rubropictus* Saussure, 1852; *Odynerus rubropictus* Saussure, 1852; *Ancistocerus rubropictus* Saussure, 1852; *Ancistocerus haematodes* Brullé.
- *Ancistrocerus kernerii* (Dalla Torre, 1904) = *Odynerus rubripes* Pérez, 1904.
- *Delta dimidiatipenne* (Saussure, 1852) = *Delta dimidiatipennis* (Saussure, 1852).
- *Euodynerus reflexus* (Brullé, 1839) = *Odynerus reflexus* Brullé, 1839.
- *Katamenes niger* (Brullé, 1839) = *Katamenes nigra* (Brullé, 1838); *Eumenes nigra* Brullé, 1838.
- *Labochilus cananensis* Giordani-Soika, 1974 = *Labrochilus cananensis* Soika.
- *Lepfochilus cruentatus* (Brullé, 1839) = *Parodynerus sericans* Pérez; *Odynerus cruentatus* Brullé, 1838; *Eumenes cruentata* Brullé, 1838.
- *Lepfochilus eatoni eatoni* (Saunders, 1904) = *Leptochilus eatoni* (Saunders, 1904); *Odynerus eatoni* Saunders, 1904.
- *Lepfochilus eatoni gomerensis* Giordani-Soika, 1974 = *Leptochilus eatoni* (Saunders, 1904).
- *Lepfochilus fortunafus* Biüthgen, 1958 = *Auleptochilus fortunatus* (Biüthgen, 1958).
- *Rhynchidium oculatum ibericum* Giordani-Soika, 1966 = *Rhynchium oculatum ibericum* Giordani-Soika, 1966; *Rhyehium oculatum* Fabricius.
- *Eupelmus moroderi* Bolivar, 1933 = *Eupelmus morodori* Bolivar, 1933.
- *Eupelmus muellneri* Ruschka, 1921 = *Macroneura muellneri* (Ruschka, 1921).
- *Neanastatus turneri* Ferrière, 1938 = *Metapelma turneri* Femere, 1938.

Formicidae

- **Aphaenogaster senilis** Mayr, 1853 = *Aphaenogaster testaceopilosus* Lucas, 1849; *Aphaenogaster testaceopilosa* Lucas, 1849.
- **Camponotus carinatus** (Brullé, 1839) = *Camponotus compressus thoracicus* var. *cannatus* (Brullé, 1839); *Camponotus compressus carinatus* (Brullé, 1839); *Formica carinata* Brullé, 1839; *Camponotus sylvaticus* Olivier.
- **Camponofus feai** Emery, 1882 = *Camponatus rufoglaucus* var. *erythropus* Emery, 1882; *Camponatus rufoglaucus feai* Emery, 1882; *Camponatus rufoglaucus* Emery, 1882; *Camponatus rufoglaucus feae* var. *erythropus* Emery, 1882; *Camponatus rufoglaucus feae* var. *dubitatus* Emery, 1882; *Camponatus rufoglaucus* var. *vestitus* Emery, 1882; *Camponatus rufoglaucus feae* var. *excelsus* Emery, 1882; *Camponatus feae* var. *erythropus* Emery, 1882; *Formica pubescens* Latreille.
- **Camponotus quanchus** Santschi, 1908 = *Camponotus sicheli* var. *guancha* Santschi, 1908; *Camponotus lateralis* var. *guancha* Santschi, 1908; *Camponotus lateralis guancha* Santschi, 1908.
- **Camponofus hesperius** Emery, 1893 = *Camponotus maculatus* var. *hesperus* Emery, 1893; *Camponotus maculatus hesperus* Emery, 1893; *Camponotus atlantis hesperus* Emery, 1893.
- **Cardiocondyla emeryi** Forel, 1893 = *Cardiocondyla emeryi* Forel, 1893.
- **Cataglyphis albicans** Roger, 1859 = *Formica nasuta* Nyl.
- **Crematogaster alluaudi** Emery, 1893 = *Crematogaster alluaudi alluaudi* Emery, 1893; *Crematogaster alluaudi nouahieri* Emery, 1893; *Crematogaster scutellaris* O1.
- **Crematogaster laestrygon canariensis** Emery, 1926 = *Crematogaster laestrygon maura* var. *canariensis* Emery, 1926.
- **Hypoponera eduardi** (Forel, 1894) = *Ponera eduardi* Forel, 1894.
- **Hypoponera nivariana** (Santschi, 1908) = *Ponera nivariana* Santschi, 1908.
- **Lasius grandis** Forel, 1909 = *Formica fusca* Latreille; *Acanthomyops niger* Linnaeus; *Lasius niger* Linnaeus.
- **Leptothorax cabrerai** Forel, 1893 = *Leptothorax cabrerai* var. *stitzi* Santschi; *Leptothorax cabrerai* Forel, 1893.
- **Leptothorax gracilicomis** Emery, 1882 = *Leptothorax gracilicomis gracilicomis* Emery, 1882; *Leptothorax nivananus* Santschi, 1925; *Leptothorax nivananus* var. *guancha* Santschi, 1925; *Leptothorax gracilicomis nivananus* Santschi, 1925.
- **Leptothorax risii** Forel, 1892 = *Leptothorax risi globulinodis* Santschi; *Leptothorax risi* Forel, 1892; *Leptothorax risi armouri* Wheeler; *Leptothorax elongatus* Santschi.
- **Leptothorax rottenbergii scabriosus** Santschi, 1919 = *Leptothorax mttenbergi scabrosus* Santschi, 1919.

- *Linepithema humile* (Mayr, 1868) = *Indomyrmex humilis* (Mayr, 1868).
- *Messor hesperius* Santschi, 1927 = *Messor barbarus capitatus*; *Aphaenogaster barbara* var. *minor* André; *Messor instabilis minor* var. *maurus* Santschi; *Atta barbara* Linnaeus; *Messor barbarus sordidus* Forel; *Messor barbarus minor* André; *Messor minor maurus* Santschi, 1923; *Aphaenogaster barbara* r. *sordida* Forel, 1893; *Messor minor* var. *hesperia* Santschi.
- *Monomonum hesperium* Emery, 1895 = *Monomonum hesperium lanzarotense* Wheeler, 1927; *Monomonum hesperium hesperium* Emery, 1895.
- *Monomorium medinae* Forel, 1892 = *Xenhyboma mystes* Santschi; *Paraphacota cabreræ* var. *obscuripes* Santschi; *Paraphacota cabreræ* Santschi.
- *Monomonum salomonis* (Linnaeus, 1758) = *Monomonon salomonis subopaca* Smith, 1858; *Monomonum salomonis subopacum* var. *intermedium* Wh.; *Monomonum salomonis subopacum* Smith, 1858.
- *Oxyopomyrmex insularis* Santschi, 1908 = *Oxyopomyrmex insularis* var. *major* Santschi.
- *Paratrechina longicornis* (Latreille, 1802) = *Prenolepis longicornis* Latreille, 1802.
- *Pheidole megacephala* (Fabricius, 1793) = *Pheidole pusilla* Heer.
- *Plagiolepis barbara cananensis* Santschi, 1920 = *Plagyolepis pygmaea* Latreille; *Plagiolepis barbara* var. *cananensis* Santschi, 1920.
- *Plagiolepis maura* Santschi, 1920 = *Plagiolepis pallescens maura* Santschi, 1920.
- *Solenopsis canariensis* (Forel, 1893) = *Solenopsis orbuloides cananensis* Forel, 1893; *Diplorhoptrum canariensis* Forel, 1893; *Solenopsis fugax* Latreille.
- *Tetramorium semilaeve* André, 1881 = *Tetramonum caespitum*; *Tetramonum caespitum biskrense* Forel; *Tetramorium caespitum punicum* *Tetramonum semilaeve depressum* Forel, 1892; *Tetramorium caespitum semilaeve* var. *depressum* Forel, 1892; *Tetramorium semilaeve fortunatarum* Emery, 1924; *Tetramonum caespitum semilaeve* var. *fortunatarum* Emery; *Tetramorium caespitum semilaeve* var. *guancha* Santschi; *Tetramonum caespitum semilaeve* var. *palmense* Wh.

Halictidae

- *Halictus concinnus* Brullé, 1839 = *Halictus microcardia* Pérez, 1894.
- *Halictus fulvipes* (Klug, 1817) = *Halictus frontalis sexcinctus* Dours.; *Halictus scabiosae* (Rossi); *Halictus quadricinctus* Fabricius.
- *Lasioglossum albivimns albivimns* (Pérez, 1895) = *Halictus leptocephalus lejariensis* Wamcke; *Halictus leptocephalus belisanus* Warncke, 1975.
- *Lasioglossum arctifrons arctifrons* (Saunders, 1903) = *Halictus arctifrons arctifrons* Saunders, 1903; *Lasioglossum arctifrons* (Saunders, 1903); *Halictus arctifrons* Saunders, 1903.

- *Lasioglossum arctifrons glandarium* (Wamcke, 1975) = *Halictus arctifrons glandanus* Wamcke, 1975; *Lasioglossum glandanum* (Wamcke, 1975).
- *Lasioallossum arctifrons optatum* (Wamcke, 1975) = *Halictus arctifrons* Saunders, 1903; *Halictus arctifrons optatus* Wamcke, 1975; *Lasioglossum optatum* (Wamcke, 1975).
- *Lasioallossum brevicome gomerense* (Blüthgen, 1937) = *Halictus brevicomis gomerensis* Blüthgen, 1937; *Halictus brevicomis aciculatus* var. *gomerensis* Blüthgen, 1937; *Halictus brevicomis* (Schck, 1870).
- *Lasioallossum chalcodes calderae* Ebmer, 1993 = *Halictus chalcodes* (Brullé, 1839); *Halictus chalcodes chalcodes* (Brullé, 1839); *Lasioglossum chalcodes* (Brullé, 1839).
- *Lasiwlossum chalcodes canariense* Ebmer, 1993 = *Halictus chalcodes chalcodes* (Brullé, 1839).
- *Lasiwlossum chalcodes chalcodes* (Brullé, 1839) = *Sphecodes semiaeneus* Brullé; *Sphocodes semi-aeneus* Brullé; *Lasioglossum chalcodes* Brullé, 1839; *Halictus chalcodes chalcodes* Brullé, 1839; *Halictus chalcodes* Brullé, 1839.
- *Lasiwlossum chalcodes gomera* (Wamcke, 1975) = *Halictus chalcodes gomera* Wamcke, 1975.
- *Lasiwlossum loetum* (Brullé, 1839) = *Lasioglossum laetum* (Brullé, 1839); *Halictus loetus* Brullé, 1838; *Halictus laetus* Brullé, 1838.
- *Lasioglossum minutissimum* (Kirby, 1802) = *Halictus minutissimus* var. *hoiandi* Saunders, 1904; *Halictus minutissimus hollandi* (Saunders, 1904); *Halictus minutissimus* (Kirby, 1802).
- *Lasioglossum mono cordiale* (Pérez, 1903) = *Halictus soror* (Saunders, 1901); *Halictus morio soror* Saunders, 1901; *Lasioglossum soror* Saunders, 1901.
- *Lasioglossum phoenicurus* (Wamcke, 1975) = *Halictus phoenicurus* Wamcke.
- *Lasiwlossum villosulum* (Kirby, 1802) = *Halictus villosulus* (Kirby, 1802).
- *Lasiwlossum vinde* (Brullé, 1839) = *Halictus alcedo* Vachal; *Halictus unicolor* Brullé, 1838; *Halictus vindis* Brullé, 1839; *Halictus viridis cabrerai* Wamcke, 1975; *Halictus viridis unicolor* Brullé, 1839; *Halictus viridis* var. *unicolor* Brullé, 1839; *Halictus vindis vindis* Brullé, 1839; *Lasioglossum viride cabrerai* (Wamcke, 1975); *Lasioglossum viride vinde* (Brullé, 1839); *Lasioglossum vinde unicolor* (Brullé, 1839); *Lasioglossum viride palmae* Ebmer, 1993.
- *Nomioides canariensis* Blüthgen, 1937 = *Nomioides* aff. *canariensis* Blüthgen, 1937.
- *Nomioides deceptor* Saunders, 1908 = *Nomioides deceptor* Saunders, 1908.
- *Nomioides fortunatus* Blüthgen, 1937 = *Nomioides fortunata* Blüthgen, 1937.
- *Nomioides variegatus* (Olivier, 1789) = *Nomioides variegata* (Olivier, 1789).
- *Sphecodes hirtellus canariensis* Wamcke, 1992 = *Sphecodes* aff. *hirtellus* Blüthgen.

- *Sphecodes marginatus biskmnsis* Pérez, 1903 = *Sphecodes marginatus* Hags.
 - *Sphecodes marginatus larochei* Warncke, 1992 = *Sphecodes marginatus* Hags.
- Ichneumonidae
- *Aneucelis rufipleuris* Horstmann, 1980 = *Aneucelis mantimus* Thomson; *Aneuctis maritimus* Thomson.
 - *Anomalon cruentatum* (Geoffroy, 1785) = *Anomalon foliator* (Fabricius, 1798).
 - *Campoletis viennensis* (Gravenhorst, 1829) = *Sagaritopsis subdentata* Hellén.
 - *Campoplex borealis* (Zetterstedt, 1838) = *Angitia chrysosticta* Gmelin; *Campoplex cananensis* Horstmann, 1980.
 - *Campoplex canariensis* Horstmann, 1980 = *Angitia rufipes* Gravenhorst.
 - *Campoplex erythrogaster* (Hellén, 1949) = *Omorga erythrogaster* Hellén, 1949.
 - *Campoplex faunus* Gravenhorst, 1829 = *Sinophorus faunus* (Gravenhorst, 1829); *Omorga mutabilis* Holmgr.
 - *Campoplex puncticollis* (Hellén, 1949) = *Omorga puncticolle* Hellén, 1949
 - *Clistopyga incitator* (Fabricius, 1793) = *Clistopyga temporalis* Hellén, 1949.
 - *Coelichneumon cabrerai* (Berthoumieu, 1903) = *Ichneumon cabrerai* Berthoumieu, 1903; *Ischnogaster cabrerai* Berthoumieu, 1903; *Notosemus cabrerai* Berthoumieu, 1903.
 - *Cremastus lineiger* Hellén, 1949 = *Cremastus bellicosus* Gravenhorst; *Cremastus bellicosus* var. *lineiger* Hellén.
 - *Cryptus nigritarsis furvus* Van Rossem, 1989 = *Cryptus furvus* van Rossem, 1989.
 - *Cryptus nigritarsis nigritarsis* Kriechbaumer, 1894 = *Cryptus verutus* van Rossem, 1989; *Cryptus nigritarsis* Kriechbaumer, 1894; *Cryptus verutus hierroensis* van Rossem, 1989.
 - *Cryptus praefortis insularis* Van Rossem, 1989 = *Cryptus insularis* van Rossem, 1989.
 - *Cryptus praefortis praefortis* Van Rossem, 1989 = *Cryptus spinosus* Gravenhorst, 1829; *Cryptus praefortis* van Rossem, 1989; *Cryptus obscuripes* Zetterstedt, 1838; *Cryptus obscuripes impeditus* van Rossem, 1989; *Cryptus diana obscuripes* Zetterstedt, 1838.
 - *Cryptus tuberculatus* Gravenhorst, 1829 = *Cryptus diana solivagus* van Rossem, 1989; *Cryptus diana* Gravenhorst, 1829; *Cryptus diana diana* Gravenhorst, 1829.
 - *Cfenichneumon canariensis* (Berthoumieu, 1903) = *Ichneumon canariensis* Berthoumieu, 1903; *Amblyteles canariensis* Berthoumieu, 1903.
 - *Cfenichneumon hermaphroditus* (Taschenberg, 1870) = *Amblyteles incertus* Pérez, 1894.
 - *Cymodusa ancilla* (Seyrig, 1927) = *Cymodusa petulans* Hlmgr.

- *Diadeuma basale* Horstmann, 1980 = *Angitia chrysosticta* Gmelin.
- *Diadeuma erythropus* (Hellén, 1949) = *Angitia erythropus* Hellén, 1949.
- *Diadeuma mollipla* (Holmgren, 1868) = *Diadegma molliplum* (Holmgren, 1868).
- *Diadegma pilosum* Horstmann, 1980 = *Angitia chrysosticta* Gmelin.
- *Diadromus collaris* (Gravenhorst, 1829) = *Diadromus cabrerai* Berthoumieu, 1903; *Ischnopsidea bravicauda* Hellén, 1949; *Heterischnus bravicauda* Hellén, 1949; *Thyraeella collaris* Gravenhorst, 1829.
- *Dichrogaster tenerifae* (Hellén, 1949) = *Brachycephalus tenerifae* Hellén, 1949; *Brachycephalus tenerifae* var. *thoracicus* Ortega y Báez, 1980; *Dichrogaster tenerifae* var. *thoracicus* Ortega y Báez, 1980.
- *Diplazon laetatorius* (Fabricius, 1781) = *Bassus laetatorius* Fabricius, 1781.
- *Dusona abdominalator* Hinz, 1985 = *Delopia abdominalator* (Hinz, 1985).
- *Dusona dubitor* Hinz, 1977 = *Delopia dubitor* (Hinz, 1977).
- *Dusona semiflava cananensis* (Hinz, 1990) = *Delopia semiflava canariensis* Hinz, 1990; *Dusona semiflava* Costa, 1883.
- *Enicospilus marocator* Aubert, 1982 = *Enicospilus canariensis* Izquierdo, 1981.
- *Enicospilus ramidulus* (Linnaeus, 1758) = *Enicospilus merdarius* Gravenhorst.
- *Exeristes roborator* (Fabricius, 1793) = *Ephialtes storai* Hellén.
- *Exetastes crassus* Gravenhorst, 1829 = *Exetastes bicoloratus* Gravenhorst.
- *Exochus flavidus* Hellén, 1949 = *Exochus rufus* Pérez; *Exochus perezii* Benoit, 1954.
- *Exochus mitratus* Gravenhorst, 1829 = *Exochus australis* Thomson.
- *Gelis anataelianus* Ceballos, 1925 = *Gelis anataeliana* Ceballos, 1925.
- *Gelis speciosus* (Hellén, 1949) = *Hemiteles speciosus* Hellén, 1949.
- *Hemiteles rufigaster* Horstmann, 1990 = *Hemiteles rufiventris* Hellén, 1949.
- *Heterischnus rufithorax* (Berthoumieu, 1903) = *Herpestomus rufithorax* Berthoumieu, 1903.
- *Hetenschnustruncator* (Fabricius, 1798) = *Ischnopsidea truncator* Fabricius, 1798.
- *Homotherus locutor bleusei* (Pic, 1898) = *Cratichneumon bleusei* Pic, 1898.
- *Hyposoter rufiventris* (Pérez, 1895) = *Holocremnus rufiventris* Pérez, 1895.
- *Hypsicera curvator* (Fabricius, 1793) = *Metacoelus mansuetor* Gravenhorst; *Exochus curvator* Fabricius, 1793.
- *Hypsicera femoralis* (Geoffroy, 1785) = *Metacoelus femoralis* Geoffroy, 1785.
- *Ichneumon sarcitorius repetitor* Kriechbaumer, 1882 = *Ichneumon repetitor* Kriechbaumer, 1882; *Ichneumon sarcitorius* Fabricius.
- *Ischnus cananensis* (Hellén, 1949) = *Habrocryptus cananensis* Hellén, 1949.
- *Itoplectis maculator cruentata* (Rudow, 1883) = *Itoplectis rufiventris* Hellén; *Itoplectis castaniventris* (Kriechbaumer, 1894); *Itoplectis maculator castaniventris*

(Kriechbaumer, 1894); *Itoplectis maculator sexpunctata* (Pérez, 1895); *Pimpla sexpunctata* Pérez, 1894; *Itoplectis maculator decora* Fors.

- *Itoplectis tunetana* (Schmiedeknecht, 1914) = *Itoplectis insularis* Hellén, 1949; *Itoplectis tunetana insularis* Hellén, 1949.

- *Limnerium rufiventris* Holmgren = *Limneria rufiventris* Pérez, 1894.

- *Lissonotidea isabelae* Rey del Castillo, 1990 = *Himertosoma isabelae* Rey del Castillo, 1990.

- *Lissonotidea omatula* (Hellén, 1949) = *Himertosoma omatula* (Hellén, 1949).

- *Lysibia nanus* (Gravenhorst, 1829) = *Astomaspis fulvipes* Gravenhorst.

- *Meloboris collector* (Thunberg, 1822) = *Nepiera collector* Thunberg, 1822.

- *Mesochorus bilineatus* (Thomson, 1886) = *Stictopisthus bilineatus* Thomson, 1886.

- *Neotypus intermedius* Mocsáry, 1883 = *Listrodomus cabrerai* Berthoumieu.

- *Neotypus tenerifae* Diller & Horstmann, 1997 = *Neotypus cabrerai* Berthoumieu.

- *Netelia lineolata* (Costa, 1883) = *Netelia lineolatus* (Costa, 1883).

- *Netelia semenowi* (Kokujev, 1899) = *Netelia lineolatus* (Costa, 1883); *Netelia lineolata* (Costa, 1883).

- *Nefelia testacea* (Gravenhorst, 1829) = *Paniscus virgatus* Gravenhorst; *Paniscus testaceus* Gravenhorst, 1829; *Paniscus maltractus* Rom.; *Netelia valvator* (Aubert, 1968); *Netelia testaceus* (Gravenhorst, 1829); *Netelia testacea* var. *melanura* (Thomson, 1888).

- *Ophion luteus* (Linnaeus, 1758) = *Ophium luteum* Linnaeus, 1758.

- *Ophion obscuratus* Fabricius, 1798 = *Ophion obscurus* Fabricius, 1798; *Ophion oscuratus* Fabricius, 1798.

- *Pimpla rufipes* (Miller, 1759) = *Pimpla hypocondriaca* (Retzius, 1783); *Pimpla instigator* (Fabricius, 1793).

- *Pimpla spuria* Gravenhorst, 1829 = *Pimpla contemplator* Müller; *Pimpla dubitata* Pérez, 1894.

- *Pimpla turionellae* (Linnaeus, 1758) = *Pimpla freyi* Hellén; *Pimpla flavicoxis* Fabricius.

- *Scambus nigromarginatus* Pérez, 1895 = *Epiurus nigromarginata* (Pérez, 1895).

- *Synechocryptus bovei bovei* (Brullé, 1846) = *Cryptus alluaudi* Pérez, 1895; *Cryptus bovei alluaudi* Pérez, 1895; *Cryptus bovei* Brullé, 1846; *Synechocryptus bovei* (Brullé, 1846); *Synechocryptus bovei alluaudi* (Pérez, 1895).

- *Syzeuctus tigris* Seyrig, 1926 = *Syzenchtus tigrinus* Seyrig, 1926.

- *Temeluchadecorata* (Gravenhorst, 1829) = *Cremastus omatus* Szépliget.

- *Temeluchapicticollis* (Hellén, 1949) = *Cremastus picticollis* Hellén, 1949.

- **Tromatobia oculatoria** (Fabricius, 1798) = Tromatobia oculatorius (Fabricius, 1798); Tromatobia oculatoria var. rufiventris Hellén, 1949; Tromatobia oculatoria rufiventris Hellén, 1949.
- **Tromatobia quadricolor** (Kriechbaumer, 1894) = Pimpla quadncolor Kriechbaumer, 1894.
- **Trychosis nigriventris** (Habermehl, 1918) = Idiolispia vagabunda Seyrig, 1935; Idiolispia mono Hellén, 1949; Idiolispia analis f. nigriventris Habermehl, 1918.
- **Virgichneumon nivaliensis** (Berthoumieu, 1903) = Ichneumon nivaliensis Berthoumieu, 1903.
- **Zaglyptus rufus** Hellén, 1949 = Zaglyptus rufa Hellén, 1949; Zaglypta rufa Hellén, 1949.

Masandae

- **Quartiniatenerifina** Richards, 1969 = Quartinia tenerifana Richards, 1969.

Megachilidae

- **Chalicodoma canescens** (Brullé, 1839) = Osmia canescens Brullé, 1839.
- **Chalicodoma fuerteventurae** Tkalcu, 1993 = Chalicodoma aff. muraria (Retzius); Osmia muraria Fabricius.
- **Chalicodoma sicula balearica** Tkalcu, 1977 = Osmia sicula Rossi; Chalicodoma sicula (Rossi).
- **Megachile albohirta** (Brullé, 1839) = Megachile aff. albohirta (Brullé, 1839); Megachile apicalis Spinola.
- **Megachile binominata** Smith, 1853 = Osmia cincta Brullé.
- **Meaachile canariensis** Pérez, 1902 = Osmia apicalis Spinola; Osmia albo-hirta Brullé.
- **Meaachile lanigera** Alfkeu, 1993 = Megachile larochei Tkalcu, 1993.
- **Osmia acuticornis brunneipes** Peters, 1975 = Hoplitis acuticornis brunneipes (Peters, 1975).
- **Osmia canana canana** Mavromoustakis, 1954 = Osmia canaria Mavromoustakis, 1954; Osmia submicans canana Mavromoustakis, 1954; Osmia submicans Morawitz; Osmia submicans var. canana Mavromoustakis, 1954.
- **Osmia canana columbina** Zanden, 1996 = Osmia submicans columbina Zanden, 1996; Osmia canaria Mavromoustakis, 1954; Osmia submicans Morawitz.
- **Osmia circumventa** Peters, 1975 = Anthocopa circumventa (Peters, 1974).
- **Osmia fulviventris** (Panzer, 1798) = Osmia fulviventris fulviventns (Panzer, 1798).
- **Osmia lanzarotensis** Tkalcu, 1993 = Osmia curulescens Linnaeus.
- **Osmia latreillei** (Spinola, 1806) = Osmia latreillei latreillei (Spinola, 1806).
- **Osmia moricei** Friese, 1899 = Hoplitis moricei (Friese, 1899).

- *Osmia perambigua* Peters, 1975 = *Osmia* aff. *insularis* Schmied.; *Osmia anthocopoides perambigua* Peters, 1975; *Hoplitis anthocopoides perambigua* (Peters, 1975).
- *Stelis aegyptiaca canaria* Wamcke, 1992 = *Stelis aegyptiaca fuerteventurae* Tkalcu, 1993.

Pompilidae

- *Aenioideus dichrous dichrous* (Brullé, 1839) = *Pompilus dichrous* Brullé, 1838.
- *Agenioideus simonthomasi* Wolf, 1978 = *Agenioideus nubeculus erianthomasi* Wolf.
- *Amblyellus fortunatarum fortunatarum* Wolf, 1978 = *Evagetes fortunatarum* Wolf, 1978.
- *Aporus bicolor* Spinola, 1808 = *Aporus bicolor bicolor* Spinola, 1808.
- *Aporus pollux* (Kohl, 1888) = *Aporus fulviventris pollux* (Kohl, 1888).
- *Arachnozoila consobrina fortunata* Wolf, 1975 = *Pompilus henngi* Haupt.
- *Arachnospila consobrina heringi* (Haupt, 1928) = *Pompilus consobrinus heringi* (Haupt, 1928); *Pompilus ater* Brullé; *Arachnospila silvana* (Kohl); *Arachnospila dusmeti* (Junco); *Arachnospila carbonaria*; *Pompilus henngi* (Haupt, 1928); *Psammochares heringi* Haupt, 1928; *Pompilus gibbus* Linnaeus.
- *Arachnozoila consobrina nivanae* (Dalla Torre, 1897) = *Pompilus excisus* Pérez, 1894; *Pompilus consobrinus nivanae* Dalla Torre, 1897; *Psammochares excisus* Pérez; *Pompilus guimarensis* Saunders, 1904.
- *Arachnozoila guanchica* Wolf, 1978 = *Arachnospila guanchica* Wolf, 1978.
- *Cryptocheilus variabilis nigripes* Costa, 1887 = *Cryptocheilus decemguttatus nigripes* (Costa, 1887).
- *Evaefes cabrerai cabrerai* (Junco, 1966) = *Evagetes canaricus tenerificus* Wolf.
- *Evagetes cabrerai canaricus* Wolf, 1978 = *Evagetes canaricus canaricus* Wolf, 1978.
- *Pareiocurgus violaceipennis* (Brullé, 1839) = *Pompilus pyrenaeus* Lapeletier; *Pompilus violaceipennis* Brullé, 1838.
- *Pompilus cinereus* (Fabricius, 1775) = *Pompilus cinereus pulcher* Fabricius, 1798.
- *Schistonyx iberumbrosus* Wolf & Diniz, 1970 = *Shistonyx umbrosus* (Klug, 1834); *Shistonyx umbrosus umbrosus* (Klug, 1834).
- *Tachyagetes aemulans aemulans* (Haupt, 1928) = *Psammochares aemulans* Haupt, 1928.
- *Tachyagetes lanzarotus* Wolf, 1993 = *Tachyagetes infidelis maspalomus* Wolf, 1978.
- *Tachyagetes maspalomus* Wolf, 1978 = *Tachyagetes infidelis maspalomus* Wolf, 1978.

Pteromalidae

- *Asaphes suspensus* (Nees, 1834) = *Asaphes suspensus* (Nees, 1834).

- *Mesopolobus maculipennis* (Mercet, 1923) = *Mesopolobus blascoi* Askew, 1994.
 - *Pachyneuron nelsoni* Girault, 1928 = *Pachyneuron aenea* (Masi, 1929); *Pachyneuron aeneus* (Masi, 1929).
 - *Pteromalus cananensis* (Janzon, 1977) = *Habrocytus canariensis* Janzon, 1977.
 - *Spilomalus atlanticus* (Gijswijt & Graham, 1986) = *Spilomalus biquadratus*.
- Scelionidae
- *Idns rufescens* (Kieffer, 1908) = *Idns adejensis* Huggert, 1974.
- Scoliidae
- *Micromeriella aureolaelegans* (Brullé, 1839) = *Scolia elegans* Brullé, 1838.
 - *Micromeriella hyalina* (Klug, 1832) = *Campsomens elegans* Brullé, 1839; *Micromeriella hyalinata* (Klug, 1832); *Elis albofasciata* Pérez, 1894; *Campsoscolia albofasciata* (Pérez); *Scolia elegans* Brullé, 1838; *Dielis elegans* Brullé, 1838.
- Sphecidae
- *Ammophila terminata terminata* Smith, 1856 = *Ammophila sabulosa* Linnaeus; *Ammophila terminata* Smith, 1856; *Ammophila apicalis* Brullé.
 - *Astata boops canariensis* Pulawski, 1974 = *Astata boops* Schrk.; *Astata minor* Kohl; *Astata* aff. *boops* (Schrak).
 - *Bembix flavescens flavescens* Smith, 1856 = *Bembex flavescens* Smith, 1856; *Bembex olivacea* Fabricius; *Bembix flavescens* Smith, 1856.
 - *Cerceris concinna* Brullé, 1839 = *Cercens lepida* Brullé, 1838.
 - *Crossocerus lindbergi* (Beaumont, 1954) = *Crabro lindbergi* Beaumont, 1954.
 - *Dienoplus guichardi* (Beaumont, 1968) = *Gorytes guichardi* Beaumont, 1968.
 - *Diodontus oraniensis* (Lepelletier, 1845) = *Diodontus gracilipes* Saunders, 1904.
 - *Dryudella bifasciata* (Schulthess, 1926) = *Astata bifasciata* von Shultness, 1926.
 - *Dryudella sepulchralis* (Beaumont, 1968) = *Astata sepulchralis* Beaumont, 1968.
 - *Ectemnius continuus rufitarsis* (Dalla Torre, 1897) = *Ectemnius continuus rufipes* Brullé; *Crabro rufipes* Brullé.
 - *Linsagilis* (Smith, 1856) = *Tachytes nigra* V. D. Linden.
 - *Lins atrata* (Spinola, 1805) = *Lins nigrita* Brullé; *Tachytes nigrita* Brullé; *Litris atrata* (Spinola, 1805).
 - *Liris haemorrhoidalis* (Fabricius, 1804) = *Liris rubricans* Pérez.
 - *Mimesa sublaevis* (Beaumont, 1954) = *Psen sublaevis* Beaumont, 1954
 - *Oxybelus cocacolae* Verhoeff, 1968 = *Oxybelus cocacolai* Verhoeff, 1968.
 - *Oxybelus fischeri tegularis* Saunders, 1903 = *Oxybelus tegularis* Saunders, 1903.
 - *Oxybelus mucronatus moricei* Beaumont, 1950 = *Oxybelus mucronatus* (Fabricius, 1793).

- **Podalonia affinis concolor** (Brullé, 1839) = *Ammophila nigra* Brullé; *Ammophila concolor* Brullé, 1838; *Ammophila affinis concolor* Brullé, 1838.
 - **Podalonia mauritanica** (Mercet, 1906) = *Ammophila mauritanica* Mercet, 1906.
 - **Podalonia tydei tydei** (Le Guillou, 1841) = *Psammophila tydei* Le Guillou, 1841; *Podalonia tydei* (Le Guillou, 1841); *Ammophila tydei* (Le Guillou, 1841); *Ammophila argentea* Lepeletier.
 - **Sceliphron spifex** (Linnaeus, 1758) = *Pelopoeus spifex* Linnaeus, 1758.
 - **Tachysphex fugax** (Radoszkowski, 1877) = *Tachysphex fillicornis* Kohl.
 - **Tachysphex nitidus ibericus** (Saussure, 1867) = *Tachysphex nitidus* (Spinola, 1805); *Tachysphex ibericus* Saussure, 1867; *Tachysphex nitidus nitidus* (Spinola, 1805).
 - **Tachysphex obscurus** Pulawski, 1971 = *Tachysphex mocsaryi obscurus* Pulawski, 1971.
 - **Tachysphex unicolor simonyi** Kohl, 1892 = *Tachysphex nitidus simonyi* Kohl, 1892; *Tachysphex simonyi* Kohl, 1892; *Tachytes unicolor* Panzer.
 - **Tachysphex unicolor unicolor** (Panzer, 1809) = *Tachysphex nitidus* (Spinola).
- Tiphiidae
- **Poecilotiphia gracilis gracilis** (Brullé, 1839) = *Myzine gracilis* Brullé, 1838.
- Torymidae
- **Monodontomerus aeneus** (Fonscolombe, 1832) = *Monodontometus nitidus* Newport.
 - **Torymus femoralis** (Pérez, 1895) = *Callimome femoralis* Pérez, 1895.
- Vespidae
- **Paravespula germanica** (Fabricius, 1781) = *Vespa vulgans* var. *germanica* Panzer; *Vespa vulgans*; *Vespa germanica* (Fabricius, 1781).
 - **Polistes dominulus** (Christ, 1791) = *Polistes gallicus* (Linnaeus, 1767).

Prof. Marcos Báez
 Universidad de La Laguna